

RC4WD

GELANDE II


TRUCK KIT WITH CRUISER BODY SET

RC4WD GELANDE II TRUCK KIT W/CRUISER BODY SET



*** The chassis assembly manual is separate from the body assembly manual.
This is the chassis assembly manual.**


Recommended Tools




Hex Drivers (1.5mm, 2mm, 2.5mm)



Thread Lock



Cross Wrench



Long Nose Pliers

Tips for Assembly

Use good quality hex drivers to avoid stripping screw heads.

Use thread lock when putting metal screws into metal parts.

Note: Steps marked with an asterisk (*) require thread lock.

Use thread lock sparingly.

Do not over tighten screws otherwise you may strip the thread.

Warranty

RC4WD non-electrical products are warranted to be free of defects in materials and workmanship when new. Our limited warranty does not cover damages due to normal wear and tear, user error of assembly or installation, user modifications, user's failure to perform routine maintenance, addition of aftermarket parts or option parts. This warranty lasts 30 days after arrival for original purchaser.

In the event of a defect under this warranty, RC4WD will, at our discretion, replace the product, provided our inspection indicates that an original defect exists. RC4WD reserves the right to replace any product which is no longer available with a product of comparable value and function. If RC4WD determines the repair is not covered under warranty guidelines, we will contact you to discuss your options. If you have any questions, please contact us via email at support@rc4wd.com.

RC4WD warrants its electronics for 30 days from date of arrival. This covers all electrical items except items that are already noted on the individual product page.

Los productos no eléctricos RC4WD están garantizados como libres de defectos en materiales y mano de obra cuando son nuevos. Nuestra garantía limitada no cubre los daños debidos al desgaste normal, a errores de montaje o instalación por parte del usuario, a modificaciones del usuario, a la falta de mantenimiento rutinario por parte del usuario, a la adición de piezas de recambio o a piezas opcionales. Esta garantía dura 30 días después de la fecha de entrega para el comprador original.

En el caso de un defecto bajo esta garantía, RC4WD, a nuestra discreción, reemplazará el producto, siempre que nuestra inspección indique que existe un defecto original. RC4WD se reserva el derecho de sustituir cualquier producto que ya no esté disponible por otro de valor y función comparables. Si RC4WD determina que la reparación no está cubierta por la garantía, nos pondremos en contacto con usted para discutir sus opciones. Si tiene alguna pregunta, por favor contáctenos por correo electrónico a support@rc4wd.com.

RC4WD garantiza su electrónica por 30 días a partir de la fecha de entrega. Esto cubre todos los artículos eléctricos, excepto los que ya están anotados en la página del producto individual.

Les produits non électriques RC4WD sont garantis comme étant exempts de défauts de matériaux et de fabrication lorsqu'ils sont neufs. La garantie limitée ne couvre pas les dommages dus à l'usure normale, aux erreurs de montage ou d'installation de l'utilisateur, aux modifications apportées par l'utilisateur, au défaut d'entretien courant de l'utilisateur, à l'ajout de pièces de rechange ou de pièces optionnelles. Cette garantie dure 30 jours à compter de la date d'arrivée de l'acheteur initial.

En cas de défaut au titre de cette garantie, RC4WD remplacera, à notre discrétion, le produit, à condition que notre inspection indique qu'il s'agit d'un défaut d'origine. RC4WD se réserve le droit de remplacer tout produit indisponible par un produit de valeur et de fonction comparables. Si RC4WD détermine que la réparation n'est pas couverte par les directives de garantie, nous vous contacterons pour discuter des possibilités qui s'offrent à vous. Si vous avez des questions, veuillez nous contacter par courriel à support@rc4wd.com.

RC4WD garantit ses appareils électroniques pendant 30 jours à compter de la date d'arrivée. Cette garantie couvre tous les articles électriques, à l'exception de ceux qui sont déjà mentionnés sur la page de chaque produit.

Alle RC4WD, nicht elektrischen Produkte“ sind garantiert frei von Materialfehlern durch die Produktion und Verarbeitung. Die Garantie deckt nicht Schäden aufgrund normaler Abnutzung, Benutzerfehler bei der Montage oder Installation, Änderungen durch den Benutzer, unterlassen der routinemäßigen Wartung durch den Benutzer, hinzufügen von Fremdteilen oder Optionsteile. Diese Garantie beträgt 30 Tage nach Kauf und Erhalt der Ware durch den Käufer. Im Falle eines Mangels im Rahmen dieser Garantie, wird RC4WD nach Ermessen und sofern nach einer Kontrolle ein ursprünglicher Defekt vorliegt, das Produkt austauschen.

RC4WD behält sich das Recht vor, Produkte die nicht mehr erhältlich sind, mit einem gleichwertigem Produkt mit vergleichbarer Funktion zu tauschen.


Wenn die Reklamation nicht mehr unter der Garantie fällt, wird Sie RC4WD für weitere Lösungen kontaktieren. Bei Fragen kontaktieren Sie uns bitte per E-Mail unter support@rc4wd.com.



Instruction Manual Symbols Key



Apply Thread Lock



Apply Grease



Glue



Trim with Hobby Knife



CA Glue



Remove



Cut with Scissors



Repeat or Build Multiple



Build Right and Left



Paint



Attention



Build Front and Rear

Tips for Assembly

- Use good quality hex drivers to avoid stripping screw heads.
- Open kit bags in order of assembly steps.
- Use “Step” index for quantity and size of hardware to be used for assembly.
- Do not over tighten screws.
- Use thread lock sparingly on metal parts.


Recommendations for building your RC4WD Trail Finder 2 Truck Kit

1. Carefully remove all parts from bags and sort them. Make sure to use threadlock on all screws in aluminum.
2. Do not over-tighten screws. Stripping screw heads and holes during assembly can happen if you are using too much force.




RC4WD Step 1

 X2
150-0100
M3 x 8mm FHCS




RC4WD Step 2

 X4
150-0062
M3 x 8mm BHCS




RC4WD Step 3

 X2
150-0101
M3 x 10mm FHCS



RC4WD Step 4


 X2
150-0066
M3 x 16mm BHCS



RC4WD Step 5


 X4
150-0218
M3 x 10mm
Set Screw

 X10
150-0216
M3 x 15mm
Set Screw




RC4WD Step 6

 X4
150-0218
M3 x 10mm
Set Screw




RC4WD Step 7

 X2
150-0062
M3 x 8mm BHCS




RC4WD Step 8

 X2
150-0100
M3 x 8mm FHCS



RC4WD Step 9

 X2
150-0062
M3 x 8mm BHCS




RC4WD Step 10

 X4
150-0062
M3 x 8mm BHCS

 X6
150-0064
M3 x 12mm BHCS


 X2
150-0007
M2 x 12mm SHCS



RC4WD Step 11


 X2
150-0007
M2 x 12mm SHCS

 X1
150-0064
M3 x 12mm BHCS




RC4WD Step 12

 X1
150-0063
M3 x 10mm BHCS




RC4WD Step 13

 X2
150-0063
M3 x 10mm BHCS



RC4WD Step 14

 X1
150-0063
M3 x 10mm BHCS




RC4WD Step 15

 X5
150-0063
M3 x 10mm BHCS


 X1
150-0064
M3 x 12mm BHCS

 X2
150-0007
M2 x 12mm SHCS




RC4WD Step 16

 X2
150-0062
M3 x 8mm BHCS




RC4WD Step 17

 X4
150-0063
M3 x 10mm BHCS



RC4WD Step 18


 X4
150-0063
M3 x 10mm BHCS



RC4WD Step 19


 X1
150-0062
M3 x 8mm BHCS

 X1
150-0100
M3 x 8mm FHCS




RC4WD Step 20

 X2
150-0063
M3 x 10mm BHCS




RC4WD Step 21

 X1
150-0202
M3 Drive Shaft Pin



RC4WD Step 22



RC4WD Step 23




X1

150-0061
M3 x 6mm BHCS



X1

150-0063
M3 x 10mm BHCS




RC4WD Step 24




X1

150-0202
M3 Drive Shaft Pin




RC4WD Step 25

-  X4
150-0295
M3 x 16mm FHCS
-  X8
150-0162
M1.6 x 5mm SHCS



RC4WD Step 26

-  X4
150-0224
M1.6 x 8mm SHCS
-  X2
150-0103
M3 x 14mm FHCS



RC4WD Step 27




X1

175-0007
M3 Nylock Nut



X1

150-0033
M3 x 25mm SHCS




RC4WD Step 28



X2


150-0068
M3 x 20mm BHCS



RC4WD Step 29

 X2
150-0063
M3 x 10mm BHCS

 X2
150-0065
M3 x 14mm BHCS




RC4WD Step 30

 X2
200-0036
M3 X 3mm Spacer


 X2
175-0007
M3 Nylock Nut

 X2
150-0066
M3 x 16mm BHCS




RC4WD Step 31

 X1
150-0064
M3 x 12mm BHCS



RC4WD Step 32


 X2
150-0065
M3 x 14mm BHCS



RC4WD Step 33


 X2
200-0035
M3 X 2mm Spacer

 X2
150-0064
M3 x 12mm BHCS



RC4WD Step 34

 X2
150-0063
M3 x 10mm BHCS



RC4WD Step 35



X1

150-0063


M3 x 10mm BHCS



X2

150-0065

M3 x 14mm BHCS



RC4WD Step 36



X2

175-0007

M3 Nylock Nut



X2

200-0036


M3 X 3mm Spacer



X2


150-0066

M3 x 16mm BHCS




RC4WD Step 37


 X2
150-0064
M3 x 12mm BHCS



RC4WD Step 38



CORRECT ALIGNMENT




INCORRECT ALIGNMENT




RC4WD Step 39

 X2
150-0202
M3 Drive Shaft Pin




RC4WD Step 40

 X2
150-0202
M3 Drive Shaft Pin




RC4WD Step 41

 X2
150-0100
M3 x 8mm FHCS



RC4WD Step 42

 X2
150-0101
M3 x 10mm FHCS




RC4WD Step 43



X2

150-0195
M3 x 8mm BHSTS



RC4WD Step 44




X1

Z-S0821
M3 X 5mm Spacer




X1

150-0066
M3 x 16mm BHCS





RC4WD Step 45

 X4
 200-0002
 M2 X 10mm
 Axle Pin



RC4WD Step 46

* Insert the ring inside the tire.




x4

RC4WD Step 47


* Place the rear wheel half inside the ring.

* Ensure that the tire bead is evenly captured in the wheel rim.

The tire may need to be pulled out a little to make it sit properly.



x4




RC4WD Step 48


* Place the front wheel half inside the ring. Ensure that the wheel design is aligned front and rear.

* Ensure that the tire bead is evenly captured in the wheel rim.

The tire may need to be pulled out a little to make it sit properly.



x4



RC4WD Step 49

 X2
150-0016
M2.5 x 12mm SHCS


 X2
175-0018
M2.5 Regular Nut

 X16
150-0014
M2.5 x 8mm SHCS

 X16
175-0018
M2.5 Regular Nut

* Place the wheel hub on the rear of the wheel and insert a long bolt (M2.5 x 12mm) through the wheel. Ensure that the tire bead is evenly captured in the wheel rim.

x4



* Install the correct shorter length hardware into the remaining holes.


RC4WD Step 50

 X2
150-0016
M2.5 x 12mm SHCS

 X2
175-0018
M2.5 Regular Nut

* To ensure proper assembly, see example below.

x4



* Remove the longer hardware.




RC4WD Step 51

 X8
150-0014
M2.5 x 8mm SHCS

 X8
175-0018
M2.5 Regular Nut

Install the correct shorter hardware.


x4



RC4WD Step 52


 X4
175-0011
M4 Flanged Lock Nut

x4




RC4WD Step 53


 X4
Silver Steel
Body Clips



RC4WD Step 54

 X4
150-0013
M2.5 x 6mm SHCS





Drive it like you built it!



REPLACEMENT PARTS

Piezas de repuesto / Pièces de rechange / Ersatzteile

Z-A0080	RC4WD Yota II Ultimate Scale Cast Axle V2 (Front)
Z-A0081	Yota II Ultimate Scale Cast Axle (Rear)
Z-B0061	RC4WD Cruiser Main Body
Z-B0063	RC4WD Cruiser Main Interior
Z-B0065	RC4WD Cruiser Roof
Z-B0067	RC4WD Cruiser Dashboard Parts Tree
Z-B0069	RC4WD Cruiser Seat Parts Tree
Z-B0071	RC4WD Cruiser Accessories Parts Tree
Z-B0073	RC4WD Cruiser Accessories 2 Parts Tree
Z-B0075	RC4WD Cruiser Chrome Accessories Parts Tree
Z-B0077	RC4WD Cruiser Clear Parts Tree
Z-B0079	RC4WD Cruiser Main Window
Z-B0081	RC4WD Cruiser Front Grille Insert
Z-B0083	RC4WD Cruiser Front LED Holder
Z-B0109	RC4WD Complete Cruiser Body Set For Gelande II
Z-C0040	Gelande 2 Chassis Set
Z-D0041	RC4WD Dual Spring Scale Black Shocks 80mm V3
Z-S0194	RC4WD 120mm Hardened Steering Link (FOA)
Z-S0398	M3 Mini Plastic Rod End (20x)
Z-S0399	M3 Medium Straight Plastic Rod End (20x)
Z-S0402	M3 Short Bent Plastic Rod End (20x)
Z-S0430	14t 32p Hardened Steel Pinion Gear
Z-S0552	Heavy Duty Nylon Strap Lock (5)
Z-S0592	Fuel Cell Radio Box
Z-S0600	2mm Black Spacer with M3 Hole (10)
Z-S0791	Servo Mounts for Gelande 2 Chassis
Z-S0792	Battery Plate for Gelande 2
Z-S0793	Gelande II Electronics Deck
Z-S0794	Gelande 2 Front 3 Link & Panhard Mount (Black)
Z-S0795	Gelande 2 Rear 4 Link Mount
Z-S0798	Front Shock Hoops for Gelande 2 Chassis
Z-S0799	Rear Shock Hoops for Gelande 2 Chassis
Z-S0802	R3 Single Speed Transmission Mounts
Z-S0803	Metal Drive Coupling for Gelande 2
Z-S0804	M3 Driveshaft Screw Pin (5)
Z-S0805	73mm (2.87") Aluminum Link for Gelande 2
Z-S0806	3mm Black Spacer with M3 Hole (10)
Z-S0807	59mm (2.32") Aluminum Link for Gelande 2
Z-S0817	65.3mm (2.57") Aluminum Link for Gelande 2
Z-S0819	70mm (2.75") Aluminum Link for Gelande 2
Z-S0821	5mm Black Spacer with M3 Hole (10)
Z-S1706	Cruiser Body Conversion Kit for D90
Z-S2019	RC4WD Plastic Punisher Shaft V2 (95mm - 100mm / 3.74" - 3.94") 5mm Hole
Z-T0144	Scrambler Offroad 1.9" Scale Tires
Z-U0024	Hammer Transfer Case (1.47/1)
Z-U0027	Transfer Case and Lower 4 Link Mount for Gelande 2 Chassis
Z-U0028	R3 Scale Single Speed Transmission
Z-W0002	6 Lug Wagon 1.9" Steel Stamped Beadlock Wheels (Chrome)



OPTIONAL PARTS

Partes opcionales / Pièces en option / Optionale teile

Z-A0096	K44 Ultimate Scale Cast Rear Axle
Z-A0101	K44 Ultimate Scale Cast Front Axle
Z-D0006	RC4WD King Off-Road Racing Shocks (80mm)
Z-D0035	RC4WD King Off-Road Scale Dual Spring Shocks (80mm)
Z-D0061	RC4WD King Off-Road Dual Spring Shocks (90mm Medium OD)
Z-D0072	RC4WD Bilstein SZ Series 80mm Scale Shock Absorbers
Z-D0077	RC4WD Rancho RS9000 XL Shock Absorbers 80mm
Z-E0001	540 Crawler Brushed Motor 80T
Z-E0002	540 Crawler Brushed Motor 65T
Z-E0003	540 Crawler Brushed Motor 55T
Z-E0004	540 Crawler Brushed Motor 45T
Z-E0005	540 Crawler Brushed Motor 35T
Z-E0009	RC4WD 1/10 Mini Warn 9.5cti Winch
Z-E0022	RC4WD KC HiLiTES Daylighter Light Set V2
Z-E0027	RC4WD 1/10 Warn 8274 Winch (75th Anniversary Edition)
Z-E0035	Twister High Torque Metal Gear Digital Servo
Z-E0036	RC4WD KC HiLiTES KC Light Set V2
Z-E0041	RC4WD Brushed 45T Boost Rebuildable Crawler 540 Motor
Z-E0045	RC4WD Brushed 35T Boost Rebuildable Crawler 540 Motor
Z-E0054	RC4WD KC HiLiTES 1/10 C Series High Performance LED Light Bar (40mm/1.5")
Z-E0055	RC4WD KC HiLiTES 1/10 C Series High Performance LED Light Bar (75mm/3")
Z-E0061	RC4WD KC HiLiTES 1/10 C Series High Performance LED Light Bar (150mm/6")
Z-E0064	RC4WD 1/10 Baja Designs S8 LED Light Bar (100mm)
Z-E0065	540 Crawler Brushed Motor 20T
Z-E0066	RC4WD 1/10 Baja Designs Squadron Pro LED Lights
Z-E0067	540 Crawler Brushed Motor 27T
Z-E0069	RC4WD 1/8 Warn Zeon 10 Winch
Z-E0071	LED Basic Lighting System For Cruiser Body Set
Z-E0075	RC4WD 1/10 Warn 8274 Winch
Z-E0076	RC4WD 1/10 Baja Designs S8 LED Light Bar (120mm)
Z-E0090	RC4WD 6-Cell 3000mAh NIMH Battery Pack
Z-E0112	RC4WD ARB Intensity LED Light Set
Z-E0113	Outcry III Waterproof ESC
Z-E0118	Outcry Extreme Speed Controller ESC w/ Program Card
Z-E0119	RC4WD 1/10 Warn 9.5cti-s Winch
Z-E0125	Twister Extreme Hi-Voltage Coreless Metal Gear Digital Waterproof Servo
Z-E0132	RC4WD KC HiLiTES Rectangle Lights with Covers
Z-R0006	XR4 4-Channel 2.4Ghz Transmitter/Receiver Radio
Z-R0009	XR3 3-Channel 2.4Ghz Transmitter/Receiver Radio
Z-R0013	RC4WD Radio and Receiver for Miller Motorsports Pro Rock Racer
Z-S0014	RC4WD 1/8 Scale Rear Hubs (Black)
Z-S0033	RC4WD 1/8 Scale Rear Hubs (Chrome)
Z-S0034	RC4WD 1/10 Scale Rear Hubs (Chrome)
Z-S0196	Scale Aisin/Yota Style Hubs
Z-S0206	RC4WD License Plate Bases
Z-S0268	OEM Steel 1.9 Stock Beadlock Wheel Hexes
Z-S0530	1.9"/2.2" 6 Lug Steel Wheel Hex Hub with Brake Rotor
Z-S0720	RC4WD 1/10 Warn Scale Manual Locking Hubs
Z-S0756	RC4WD Drive Flange Wheel Nut Cover
Z-S0774	1.9"/2.2" 6 Lug Steel Wheel Hex Hub +3 Offset
Z-S0779	1.9"/2.2" 6 Lug Steel Wheel Hex Hub +6 Offset
Z-S0780	1.9"/2.2" 6 Lug Steel Wheel Hex Hub +9 Offset
Z-S0820	Heavy Duty Metal Servo Arm 24t Hitec
Z-S0822	Heavy Duty Metal Servo Arm 25t Futaba



OPTIONAL PARTS

Partes opcionales / Pièces en option / Optionale teile

Z-S0823	XVD Axle for Ultimate Scale Yota II G2 TF2/TF3 Axle
Z-S0824	Gelande 2 Steering Guard
Z-S0850	RC4WD Mickey Thompson Metal Series 1/10 Wheel Center Caps (2)
Z-S0907	Yota II Scale Diff Cover
Z-S1093	RC4WD Billet Aluminum Fuel Cell Radio Box (Black)
Z-S1118	Scale Steel Punisher Shaft V2 (90mm - 115mm / 3.54" - 4.53")
Z-S1122	RC4WD Billet Aluminum Fuel Cell Radio Box (Red)
Z-S1224	RC4WD 1/8 Warn Scale Manual Locking Hubs
Z-S1266	RC4WD 1/10 Scale Rear Hubs (Black)
Z-S1539	RC4WD Fender Flare for Rear Cruiser Body
Z-S1714	Cruiser Body Emblem Set
Z-S1752	Gelande II Leaf Spring Kit
Z-S1807	Low Profile Delrin Skid Plate for Std. TC (D90/D110/Cruiser)
Z-S1913	Narrow Stamped Steel Wheel Pin Mount 6-Lug
Z-S1924	RC4WD Rancho Diff Cover for Yota II Axle
Z-S1949	RC4WD Rancho Adjustable Steering Stabilizer (70-100mm)
Z-T0051	Mud Thrashers 1.9" Scale Tires
Z-T0107	RC4WD BFGoodrich All Terrain K02 1.7" Scale Tires
Z-T0111	RC4WD Mickey Thompson 1.7" Baja Claw TTC Radial Scale Tires
Z-T0133	RC4WD Fuel Off-Road Mud Gripper M/T 1.7" Scale Tires
Z-T0152	Scrambler Offroad 1.55" Scale Tires
Z-T0160	RC4WD Goodyear Wrangler MT/R 1.9" 4.19" Scale Tires
Z-T0170	RC4WD Goodyear Wrangler® All-Terrain Adventure 1.9" Tires
Z-T0177	RC4WD Goodyear Wrangler Duratrac 1.55" 4.19" Scale Tires
Z-T0178	RC4WD Milestar Patagonia M/T 1.9" Scale Tires
Z-T0179	RC4WD Falken Wildpeak M/T 1.7" Tires
Z-T0189	RC4WD BFGoodrich Krawler T/A KX 1.7" Scale Tires
Z-T0190	RC4WD BFGoodrich Mud Terrain T/A KM2 1.55" Scale Tires
Z-T0191	RC4WD BFGoodrich Mud Terrain T/A KM3 1.7" Tires
Z-T0192	RC4WD BFGoodrich Mud Terrain T/A KM3 1.9" Tires
Z-T0193	RC4WD Michelin Agilis C-Metric 1.9" Tires
Z-T0195	RC4WD Falken Wildpeak A/T Trail 1.9" Scale Tires
Z-T0208	RC4WD Interco Super Swamper TSL Thornbird 1.7" Scale Tires
Z-T0225	RC4WD BFGoodrich Mud Terrain KM 1.9" Scale Tires
Z-W0014	RC4WD Center Line 1.55" Scorpion Deep Dish Wheels
Z-W0041	RC4WD XD 1.7" XD849 Grenade 2 Deep Dish Beadlock Wheels
Z-W0086	RC4WD Warn 1.7" Epic Jack Hammer Wheels
Z-W0088	RC4WD American Racing 1.9" Outlaw II Deep Dish Beadlock Wheels
Z-W0118	RC4WD Ballistic Off Road Morax 1.7" Beadlock Wheels
Z-W0122	RC4WD Enforcer 1.9" Beadlock Wheels
Z-W0200	RC4WD Fuel Off-Road Maverick 1.9" Beadlock Wheels
Z-W0249	RC4WD Mickey Thompson MT Metal Series MM-164M 1.9" Wheels
Z-W0266	RC4WD Benchmark 1.7" Beadlock Wheels
Z-W0274	RC4WD 1911 1.9" Beadlock Wheels
Z-W0292	RC4WD Raceline Combat 1.55" Beadlock Wheels
Z-W0294	RC4WD Fuel Off-Road Zephyr Beadlock Wheels 1.9"
Z-W0296	Classic 10-Hole Chrome 1.9" Beadlock Wheels
Z-W0303	RC4WD ION Style 71 1.9" Beadlock Wheels
Z-W0333	RC4WD Fuel Off-Road 1.55" Zephyr Beadlock Wheels (Gunmetal)





www.rc4wd.com



737 N. Gateway St.
Visalia, CA 93291
www.RC4WD.com
support@rc4wd.com

